Any tank used for wine operations not enclosed within a building or room will be enclosed within a secure fence unless the premises where the tank is located are enclosed by a fence or wall, or all tank openings are equipped for locking and are locked when used for wine operations and there is no proprietor's representative on the wine premises, or the appropriate TTB officer has approved some other adequate means of revenue protection. All open tanks will be under a roof or other suitable covering.

- (b) Other requirements. Each tank used for the taxpayment of wine, storage of spirits, or spirits additions will be constructed and equipped as follows:
- (1) An accurate means of measuring the contents of each tank will be provided by the proprietor. When a means of measuring is not a permanent fixture of the tank, the tank will be equipped with a fixed device to allow the approximate contents to be determined readily;
- (2) Safe access to all parts of a tank will be provided by the proprietor;
- (3) Tanks may not be used until they are accurately calibrated and a statement of certification of accurate calibration is on file at the premises;
- (4) If a tank or its means of measuring is changed as to location or position subsequent to original calibration, the tank may not be used until recalibrated; and
- (5) All openings in tanks used for the storage, weighing, or measuring of spirits, or for the addition of spirits to wine, will be equipped for locking or have a similar means of revenue protection. Any vents, flame arrestors, foam devices, or other safety devices affixed to a spirits tank will be constructed to prevent extraction of the contents of the tank. (Sec. 201, Pub. L. 85–859, 72 Stat. 1378, as amended, 1379, as amended, 1395, as amended (26 U.S.C. 5352, 5357, 5552))

(Approved by the Office of Management and Budget under control number 1512–0058)

[T.D. ATF-299, 55 FR 24989, June 19, 1990, as amended by T.D. ATF-312, 56 FR 31078, July 9, 1991; T.D. ATF-409, 64 FR 13683, Mar. 22, 1999]

## §24.168 Identification of tanks.

- (a) General. Each tank, barrel, puncheon, or similar bulk container, used to ferment wine or used to process or store wine, spirits, or wine making materials will have the contents marked and will be marked as required by this section.
- (b) Tank markings. (1) Each tank will have a unique serial number;
- (2) Each tank will be marked to show its current use, either by permanent markings or by removable signs of durable material; and
- (3) If used to store wine made in accordance with a formula, the formula number will be marked or otherwise indicated on the tank.
- (c) Puncheon and barrel markings. Puncheons and barrels, or similar bulk containers over 100 gallons capacity, will be marked in the same manner as tanks. A permanent serial number need not be marked on puncheons and barrels, or similar bulk containers of 100 gallons capacity or less, used for storage, but the capacity must be permanently marked. (Sec. 201, Pub. L. 85–859, 72 Stat. 1378, as amended, 1379, as amended (26 U.S.C. 5352, 5357))

(Approved by the Office of Management and Budget under control number 1512–0503)

[T.D. ATF-299, 55 FR 24989, June 19, 1990, as amended by T.D. TTB-91, 76 FR 5478, Feb. 1, 2011]

## §24.169 Pipelines.

Pipelines, including flexible hoses, used to convey wine, spirits, or volatile fruit-flavor concentrate will be constructed, connected, arranged, and secured so as to afford adequate protection to the revenue and to permit ready examination. The appropriate TTB officer may approve pipelines which cannot be readily examined if no jeopardy to the revenue is created. (Sec. 201, Pub. L. 85–859, 72 Stat. 1378, as amended, 1379, as amended, 1395, as amended (26 U.S.C. 5352, 5357, 5552))

[T.D. ATF-299, 55 FR 24989, June 19, 1990, as amended by T.D. ATF-409, 64 FR 13683, Mar. 22, 1999]

## § 24.170 Measuring devices and testing instruments.

(a) Measuring devices. The appropriate TTB officer may at any time require